



ROLAMENTO DE ROLOS CILINDRICOS, TRIPLA CARREIRA, SERIE SL



Main Dimensions (mm)				Model	Basic Dynamic	Basic Static	Permissible Revolutions(rpm)		Assembly Dimensions(mm)			Reference Weight (kg)
d	D	B	ra (Min)		Load Ratings C(N)	Load Ratings Co(N)	Grease Lubrication	Oil lubrication	C	d ₁	D ₁	
70	100	44	1.0	SL11914	142000	265000	1600	3200	15.0	83.0	87.0	1.15
80	110	44	1.0	SL11916	150000	300000	1450	2900	15.0	92.0	96.0	1.29
90	125	52	1.1	SL11918	205000	425000	1250	2500	17.5	103.0	110.0	2.00
100	140	59	1.1	SL11920	260000	550000	1100	2200	20.0	116.5	124.5	2.90
110	150	59	1.1	SL11922	270000	600000	1050	2100	20.0	125.0	133.5	3.15
120	165	66	1.1	SL11924	305000	660000	950	1900	22.5	139.0	148.0	4.30
130	180	73	1.5	SL11926	355000	770000	850	1700	25.0	149.5	159.5	5.75
140	190	73	1.5	SL11928	370000	830000	800	1600	25.0	160.0	170.0	6.10
150	210	88	2.0	SL11930	560000	1230000	750	1500	30.0	171.5	186.5	9.70
160	220	88	2.0	SL11932	580000	1330000	700	1400	30.0	185.0	199.5	10.20
170	230	88	2.0	SL11934	600000	1390000	650	1300	30.0	194.0	208.5	10.80
180	250	101	2.0	SL11936	780000	1810000	650	1300	34.5	206.0	223.5	15.70
190	260	101	2.0	SL11938	800000	1900000	600	1200	34.5	216.0	233.0	16.40
200	280	116	2.1	SL11940	940000	2220000	550	1100	40.0	231.0	251.5	22.80

ROLAMENTO DE ROLOS CILINDRICOS, TRIPLA CARREIRA, SERIE SL



Main Dimensions (mm)					Model	Basic Dynamic	Basic Static	Permissible Revolutions(rpm)		Assembly Dimensions(mm)			Reference Weight (kg)
d	D	B	r _a (Min)	S		Load Ratings C(N)	Load Ratings Co(N)	Grease Lubrication	Oil lubrication	C	d ₁	E	
70	100	44	1.0	1.0	SL14914	142000	265000	1600	3200	15.0	83.0	91.0	1.10
80	110	44	1.0	1.0	SL14916	150000	300000	1450	2900	15.0	92.0	100.0	1.25
90	125	52	1.1	1.5	SL14918	205000	425000	1250	2500	17.5	103.0	115.0	1.95
100	140	59	1.1	2.0	SL14920	260000	550000	1100	2200	20.0	116.5	129.0	2.85
110	150	59	1.1	2.0	SL14922	270000	600000	1050	2100	20.0	125.0	138.0	3.10
120	165	66	1.1	3.0	SL14924	305000	660000	950	1900	22.5	139.0	153.0	4.20
130	180	73	1.5	4.0	SL14926	355000	770000	850	1700	25.0	149.5	165.0	5.60
140	190	73	1.5	4.0	SL14928	370000	830000	800	1600	25.0	160.0	176.0	6.00
150	210	88	2.0	4.0	SL14930	560000	1230000	750	1500	30.0	171.5	192.0	9.50
160	220	88	2.0	4.0	SL14932	580000	1330000	700	1400	30.0	185.0	206.0	10.00
170	230	88	2.0	4.0	SL14934	600000	1390000	650	1300	30.0	194.0	215.0	10.50
180	250	101	2.0	4.0	SL14936	780000	1810000	650	1300	34.5	206.0	230.0	15.50
190	260	101	2.0	4.0	SL14938	800000	1900000	600	1200	34.5	216.0	240.0	16.20
200	280	116	2.1	5.0	SL14940	940000	2220000	550	1100	40.0	231.0	259.0	22.40